## Appendix A: PCR Contest Forms.

The PCR Contest Manager is responsible for maintaining and supplying PCR contest forms and may change forms or introduce new forms as needed.

- Model Contest Cover Sheet
- Model Contest Entry Form Open, Kit, & Novice
- Model Contest Entry Form Youth & Teen
- Print Contest Entry Form
- Photo Contest Judge's and Participant's Guide
- Portable Layout (Module) Contest Cover Sheet
- Portable Layout (Module) Contest Entry Form
- Portable Layout (Module) Contest Rules and Judging Guidelines
- Arts and Crafts Entry Form
- Arts and Crafts Judges Score Sheet



# **PCR Model Contest Entry Form Cover Sheet**

Entry No.\_\_\_\_\_ (PCR will assign entry number)

Model Description:					
Category (check one)	Contest (check one)				
Steam Locomotive	Open	Scale: Z N TT HO	S		
Diesel & Other	Kit	O G Other			
Passenger Car	Novice	RR Name			
Freight Car	Youth 13 to 17	Kit Mfgr			
Caboose	Youth 12 & Un	_	=		
Maintenance of Way Non-Judged					
Structure	J				
Display					
Traction and Self-Prope	lled Cars				
Special Contest					
eligible for judging, and of attached to the entry form the model  The model shall be remove valid claim form must be  Certification:  I affirm that I am a member	only that work should be described. Supplemental information wed from the contest room with presented to pick up each enter in good standing of the NM	each model entered. Only the work you have deribed on the Entry Form. Additional pages may for the optional use of the judges may be place of the period set by the Contest Chairman. A try.  IRA and meet all applicable Entry Requirement methat all work described on the Entry Form was	y be d with signed, ts in		
performed by me, and agre		considered during judging. I also affirm that I h			
I understand that neither Po	CR nor NMRA assume any re	esponsibility for loss or damage to contest entri	ies.		
Name		Region			
Address		Division			
City	StateZip				
Phone Number ()	Si	gnature			
Email address (optional)					
F	Model Contest C				
Entrant's Name		Entry #			
Signature required for entry pick		Location			

# **PCR Model Contest Entry Form**

						ENTRY #
DESCRIPTION:_				CATEGORY		
					□KIT □NOVICE	
obtain full credit in each s	ection. Attach and r	efer to additional pa	all work accomplished under ages as needed. List all sup st official will assign and fill i	plementary materials of		Score Judges Only
1. CONSTRUCTION: F	Proper handling of	materials, applie	d labor, skill, and craftsm	anship.	Max 40 pts	
PLANS	MATERIALS	BONDING	METHODS	DETAILS	•	1
3	□Brass □Wood	□Solder □Cement	□Cut & fit basic shapes □Kit or kitbash	☐Scratchbuilt ☐Commercial		
	□Styrene	ПЕроху	☐ Photoetched	☐Cast from pattern	S	
	□Other		☐Cast from patterns	□Other (explain)		
2. DETAIL: Refinemen	it, the amount of s	subordinate detail	added, and the complex	kity of the model	Max 20 pts	
3. CONFORMITY: Effo	ort taken to achieve	e prototype practi	ce and appearance		Max 25 pts	1
	-		oper application of finish		Max 25 pts	
□Airbrush or spray □F	land painted □Ha	and striped □De	cal striped   Decal letter	ring Dry transfers	□ Other (explain)	
5. SCRATCH BUILDIN	IG: All parts fabric	ated from basic n	naterials.		Max 15 pts	
					TOTAL SCORE	
TABULATED BY:		VERIFIED BY: _		125	POINTS MAXIMUM	

**PCR Model Contest Youth Entry Form** 

						ENTRY #
DESCRIPTION	N			_CATEGORY	<del></del>	
				YOUTH □ 12 & U	INDER □ 13-17	PCR will
INSTRUCTIONS: (	Check the boxes and fill in the	ne blanks to de	escribe vour model.	Repeat information un	der different	fill in. Score
categories if neede	d to tell the judges what you	ı did. You can	add separate shee	ts with more information	n, and you can display	Judges
	agazine articles to show the		ou built the model	and what the prototype		Only
	N: How did you build the mo		Methods	Dondina	Max 40 pts Details	
Starting Point ☐ Kit		□ Plastic		Bonding		
Kit Brand	☐ Kit plans ☐ Mag. Article	☐ Wood	☐ Swapped	d parts  □  Plastic gl parts   □ Super glu		
Nit Dianu	☐ Photos	☐ Wood		t pieces 🛘 White glu	•	
☐ Kitbashed	☐ Prototype Plans	☐ Styrene				
☐ Scratchbuilt	☐ Commercial plans	☐ Styrene				
Other Info:	L Commercial plans	□ wiie	Ш	Dolueted	Li Ottiei	
					·	
2. DETAIL: What n	ew parts or extra details did	you add to the	e basic model?		Max 20 pts	
	•				•	
Sides	Ends Roo	of	Underbody	Interior	Other Details	
0.0.00						
3. CONFORMITY:	What did you do to make th	e model more	like an actual spec	ific car, structure, etc.?	Max 25 pts	
☐ Added Detail	☐ Changed Detail ☐ M	oved Parts	☐ Changed Par	ts D Changed Basi	c Model	?
4. FINISH AND LE	TTERING: How did you pain	nt and letter th	e model?		Max 25 pts	
☐ Painting	☐ Striping	□ Le	ettering	☐ Weathering	☐ Other	1
☐ Pre-painted ki			it already lettered	•		
☐ Touched up p			Added lettering	☐ Glossy "new" n	nodel 🗆	
☐ Painted some			Changed lettering	•		
☐ Hand painted				☐ Hand weathere	d 🗆	
☐ Airbrushed mo		•	New decals	☐ Chalk weather		
☐ Stained wood	☐ Other			s  Airbrush weath	·	
			ton Diy Transion	<b>—</b> /		
5. SCRATCH BUIL	DING: What did you make	from basic mat	terials like wood sh	apes, styrene, or wire?	Max 15 pts	
	•				•	
						_
						_
						_
						_
					TOTAL SCORE	
TABULATED BY:_	VERIFIE	ED BY:		125 F	POINTS MAXIMUM	



# PCR PHOTO CONTEST ENTRY FORM

Name	NMRA #				
ADDRESS					
City	State ZIP				
Email address (optional)					
Categories  1. Model Subject – Black & White 2. Model Subject – Color 3. Prototype Subject – Black & White  7. Display Print (not judged)	Prototype subjects – Color 4. Trains in Action 5. Tracks & Structures 6. Other (General) Subjects				
NOTE: A summary of PCR contest rules and catego					
<u>List all entries below</u>	PCR will fill	in Entry #			
Category Title or de	escription of entry	Entry #			
CERTIFICATION: I affirm that all photographs sub been awarded First Place in any NMRA National eligible to participate in this contest according to o publish any award winning entries in official publicat Signed	or PCR Regional contests. I further stipulate current NMRA PCR rules. I hereby grant petions of the NMRA and PCR.  Date	e that I am			
PROXY (I hereby authorize (name)	STATEMENT as my proxy to enter and	retrieve the			
above listed entries in the PCR Photo (date) Signed	Contest at (place)	on			
	EST CLAIM FORM				
Entrant's name					
Entry # () () (	) () ()				
NOTE > Pick-up time	Location				

#### **SUMMARY OF RULES FOR ENTRY (PRINT CONTEST)**

- 1. The entrant must be a member of the PCR in good standing or a member of the NMRA residing outside the boundaries of PCR, and may not enter any category for which he/she is a contest judge. Joint entries are not permitted.
- 2. Contest entries shall be entered by the attending member or an authorized proxy. Entries must be claimed at the time specified by the host contest chairperson.
- 3. Exposure of the original negative or transparency must have been made by the entrant personally. Images that have won First Place or higher in any NMRA National or Regional contest may not be entered.
- 4. An entry form shall be completed by the entrant (or proxy) listing all entries by category on said form.
- 5. No entrant can enter more than six (6) entries in total. A maximum of three (3) entries may be made in an individual category.
- 6. Each print must be at least 5x7 inches and no larger than 8x12 inches and must be mounted on a rigid mounting board for ease of display. Said mounting board shall be no smaller than 11x14 inches and no larger than 12x16 inches.
- 7. Any person deriving more than 50% of their income from employment as a professional photographer is excluded from entering the contest.
- 8. Entries in Category 7 (Display) may exceed the limitations for size of print and mounting expressed in item #6 (above). No framed pictures or pictures mounted under glass are permitted.

#### **CATEGORY DEFINITIONS**

#### Category #

- 1. Black and white print of any model railroad subject.
- 2. Color print of any model railroad subject.
- 3. Black and white print of prototype railroad subject.
- 4. Color print of available-light picture of prototype trains or rolling equipment in motion.
- 5. Color print of available-light picture of prototype track arrangements, stations, bridges, signals or other structures appurtenant to railroading.
- 6. Color print of prototype railroad-related subjects not qualifying under categories 4 and 5 above. These may be (but are not limited to):

Pictures of railroad people
Isolated detail
Static pictures of railroad equipment
Flash assisted pictures
Night scenes
Double exposures
Composite pictures
Multiple images
Pictures using special effects attachments



### **Photo Contest Judges and Participants Guide**

#### A. Purpose

One of the many attractions of a PCR meet are the railroad photographs on display. To aid judges in rewarding photographic excellence in portraying model and prototype railroading, this guide expands upon the PCR Contest Directory (Section IV). This guide may also be used by entrants.

#### B. Entries

#### Size:

Minimum and maximum sizes shown in the rules apply to square cornered single images. Other shapes (i.e. oval) shall be eligible for entry if their shortest dimension meets or exceeds the minimum and their longest dimension meets, or is less than the maximum specified in the rules.

Multiple images (i.e. two or more photos mounted on one board) shall be eligible for entry if: 1) at least one of the images meets the minimum and maximum size requirements, and 2) the total area of all the images on the board does not exceed the area of the maximum dimensions specified in the rules (80 sq. in.). As long as the two conditions above are met, there is no minimum size requirement for additional images on the mount. Images may overlap one another, but only the dimensions or area visible to the judges shall determine eligibility.

#### **Unusual situations:**

Creativity is encouraged but not to the point that it departs from being railroad related, is bizarre or creates unfair competition. The following examples should determine entry eligibility. If in doubt, request a decision from the Photo Event Chairperson.

Sepia tone – enter in black and white category.

Colored black and white (i.e. hand tinted) – must be entered in color category.

Multiple exposures (either in camera or darkroom) - eligible.

Three-dimensional images (i.e. print(s) mounted so that the front of an image is more than 1/8 inch from back of the mount) – Not eligible.

Multiple layers of one or more film images sandwiched with reflective backing – eligible.

Retouched images – eligible if majority of image is photographic.

Xerography or graphic arts images (i.e. color Xerox, black & white high contrast "line shot", posterization) – eligible if a majority of the image is created by action of light on a sensitized surface.

### C. Judging

Entries selected for awards should exhibit photographic excellence in portraying model or prototype railroading. It is up to each judge to determine what qualities constitute that excellence. It is entirely subjective: however, each judge must be impartial in evaluating the entries. Bias regarding photo technique, road name, type of motive power and equipment etc. must not be a part of the judging. It is the overall impression of the entry that should be considered.

#### D. Procedure

- 1. Entrants complete the appropriate spaces on the entry form and submit the form with entries to the contest clerk. Clerk assigns entry number using entry log and labels each entry with its assigned number and places entries on display. The clerk shall not accept entries that do not meet the contest rules.
- 2. At the designated time when the contest is closed for further entries, the judges (three in number, or five if available but not four) assemble with the contest chairperson in the display area. The contest chairperson will give appropriate instructions to the judges. Then, the judges working individually, and without conferring, will review the displayed entries and record their choices for first, second and third places in each category on their individual work sheets. The work sheets will then be submitted to the chairperson.
- 3. The contest chairperson will list by category all entries shown on the work sheets. These entries are considered to be in the judging finals. In all situations in which the work sheets indicate a judging consensus (e.g. all judges vote for the same entry for a designated award), the award may be made at this step in the judging process. In all categories in which a

- judging consensus is not indicated, the judging will proceed to the next step.
- 4. For each category, the clerk will display each entry separately and the judges will indicate by a secret "yes" or "no" vote whether the entry should be retained or eliminated. Each entry receiving at least two "yes" votes (three, if there are five judges) will be retained. If too many entries still remain at the end of this process in the opinion of the contest chairperson, it may be repeated for further elimination.
- 5. The remaining entries from step 4 will now be displayed adjacently. The judges, as an open panel, shall reach agreement on first, second, third and honorable mention awards. ALTERNATE METHOD: In the event of a very low number of entries in the category, the contest chairperson may eliminate step 4 and allow the judges to go directly to step 5.
- 6. Judges are not required to make an award. In the event that the judges do not make an award (e.g. only one entry in category), the contest chairperson may make the award with concurrence of the PCR contest chairperson.
- 7. Judges are requested, but not required, to enter comments on each entry judges sheet.
- **8.** Print entries will be available for viewing following judging with award winners clearly marked.
- **9.** Entrants, or their proxy, will retrieve their entries. Receipts must be shown.



# **PCR Portable Layout/Module Contest Cover Sheet**

Entry No.\_\_\_\_\_ (PCR will assign entry number)

Entrant(s)	Name(s):					
	Address: City: State: Zip Code:					
						Phone Number:
	Category (ch	eck one) Individual Group				
Module Star	ndards Used, If Any:					
	iption:					
•						
Comple judging Entry F The ent	(For full details, see the PCR Contest Directory) tee a separate Cover Sheet and Entry Form for each entry. Only the work of the entrant(s) is eligible for an an only that work should be described on the Entry Form. Additional pages may be attached to the form. Supplemental information for the optional use of the judges may be placed with the entry.  The system of the contest room within the period set by the Contest Chairman. A signed, valid form must be presented to pick up each entry.					
Requirer Form wa affirm th	that the entrant(s) is(are) a member(s) in good standing of the NMRA and meet all applicable Entry nents in Section III of the PCR Contest Directory. I further affirm that all work described on the Entry s performed by the entrant(s), and agree that only this work will be considered during judging. I also at this entry has not won First Place in any NMRA National or PCR Regional contest.  and that neither PCR nor NMRA assume any responsibility for loss or damage to contest entries.					
Region	DivisionNMRA No					
	Signature					
Entrant's Name	Portable Layout/Module Contest Claim Form  Entry #					
Signature requi	red for entry pick-up:					
NOTE > Pick						

**PCR Portable Layout/Module Contest Entry Form** 

ENTRY: □INDIVIDUAL □GROUP	ENTRY
A PCR Model Contest official will assign and fill in the Entry Number.	#
INSTRUCTIONS:	Score Judges
1. Describe the module in detail. 2. Check items that apply and add any other pertinent data	Only
1. CONSTRUCTION: Max 35 pts	
a. Percentage of kit built plastic structures%  c. Percentage of cross-kitted structures%	
b. Percentage of kit built craftsman type structures%  d. Percentage of scratchbuilt structures%  e. Scenery other than above. Describe in detail techniques and materials used below.	
or contain and the man above possible in actual techniques and materials accounts.	ı
2. DETAIL: Max 20 pts	
Describe the complexity, difficulty, refinement, amount of subordinate parts. List commercial parts used. Point out extra	
detail.	
3. CONFORMITY: Max 10 pts	
Give information as to prototype modeled or explain logic of design.	
4. ELECTRICAL: Max 10 pts	1
4. ELECTRICAL:  Give details of electrical features beyond those required by module specs  Max 10 pts	
One details of electrical realtities beyond those required by module specs	
5. FINISH AND LETTERING: Max 20 pts	
□Weathered □Non-Weathered □Spray □Brush □Mask and Spray. Point out method of coloring and texturing employed	
	-
to finish natural surfaces (rocks, earth, etc.) and man-made surfaces (roads, etc.)	
to finish natural surfaces (rocks, earth, etc.) and man-made surfaces (roads, etc.)  Signs and Lettering:   Decals	
to finish natural surfaces (rocks, earth, etc.) and man-made surfaces (roads, etc.)  Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)	
to finish natural surfaces (rocks, earth, etc.) and man-made surfaces (roads, etc.)  Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)	
to finish natural surfaces (rocks, earth, etc.) and man-made surfaces (roads, etc.)  Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)	
to finish natural surfaces (rocks, earth, etc.) and man-made surfaces (roads, etc.)  Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)	
Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)	
Signs and Lettering: Decals Hand lettering Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: Max 25 pts	
Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)	
Signs and Lettering: Decals Hand lettering Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: Max 25 pts	
Signs and Lettering: Decals Hand lettering Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: Max 25 pts	
Signs and Lettering: Decals Hand lettering Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: Max 25 pts	
Signs and Lettering: Decals Hand lettering Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: Max 25 pts	
Signs and Lettering: Decals Decals Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: List all parts you have fabricated. Note any special or unusual features.  Max 25 pts	
Signs and Lettering: Decals De	
Signs and Lettering: Decals Decals Dry Transfers Photo Reduction Photo Etching Other (explain)  6. SCRATCH BUILDING: List all parts you have fabricated. Note any special or unusual features.  Max 25 pts	
Signs and Lettering: Decals De	
Signs and Lettering: Decals De	
Signs and Lettering: Decals De	
Signs and Lettering: Decals De	
Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)  6. SCRATCH BUILDING: Max 25 pts List all parts you have fabricated. Note any special or unusual features.  7. INGENUITY: Max 5 pts Indicate any features or techniques that you believe to be creative, innovative, and perhaps helpful to fellow modelers.	
Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)  6. SCRATCH BUILDING: Max 25 pts List all parts you have fabricated. Note any special or unusual features.  7. INGENUITY: Max 5 pts Indicate any features or techniques that you believe to be creative, innovative, and perhaps helpful to fellow modelers.  SCORE	
Signs and Lettering: □Decals □Hand lettering □Dry Transfers □Photo Reduction □Photo Etching □ Other (explain)  6. SCRATCH BUILDING: Max 25 pts List all parts you have fabricated. Note any special or unusual features.  7. INGENUITY: Max 5 pts Indicate any features or techniques that you believe to be creative, innovative, and perhaps helpful to fellow modelers.	



Type of Module\_\_\_\_\_

## NMRA PCR PORTABLE LAYOUT/MODULE CONTEST RULES AND JUDGING GUIDELINES

	General Categories
	Construction35 points
	Detail20 points
	Comformity10 points
	Electrical10 points
	Finish and Lettering20 points Scratchbuilding25 points
	Ingenuity 5 points
	Total Maximum Points125 points
	t coordinator or an officer of your group.
Motive power and rolling sto	ock placed on the tracks on the module are not considered in the judging.
	n the "Individual" category if at least 90% of the work was done by an individual id 10% of the construction work on the module, it is to be entered in the "Group"
5	rning points for the NMRA Achievement Program, their rules call for a section of square feet for O scale, 32 square feet for HO, or 24 square feet for N scale.
5	0.1
model railroad at least 60	square feet for O scale, 32 square feet for HO, or 24 square feet for N scale.  Judging Guidelines  deling; coloring; scale and proportion; selection and use of materials to create
model railroad at least 60 struction; morealistic natural and man-	square feet for O scale, 32 square feet for HO, or 24 square feet for N scale.  Judging Guidelines  deling; coloring; scale and proportion; selection and use of materials to create made features of terrain.  uitability; placement; appearance in relation to the terrain and background of the
Terrain. Construction; mo realistic natural and man-structures. Prototypical su display – as scenic effects,  Background. Artistic hand	square feet for O scale, 32 square feet for HO, or 24 square feet for N scale.  Judging Guidelines  deling; coloring; scale and proportion; selection and use of materials to create made features of terrain.  uitability; placement; appearance in relation to the terrain and background of the
Terrain. Construction; mo realistic natural and man-structures. Prototypical sedisplay – as scenic effects,  Background. Artistic hand terrain in creating background.	Judging Guidelines  deling; coloring; scale and proportion; selection and use of materials to create made features of terrain.  uitability; placement; appearance in relation to the terrain and background of the not as to construction.  ling of line and color; skillful use of paint; backdrops; dioramic structures and/o
Terrain. Construction; morealistic natural and mannatural and mannatural and mannatural and structures. Prototypical surfisplay – as scenic effects, Background. Artistic hand terrain in creating background. Lighting. Adequate and reference and reference are referenced by the scenic effect as a natural scenic effect a	Judging Guidelines  deling; coloring; scale and proportion; selection and use of materials to create made features of terrain.  ditability; placement; appearance in relation to the terrain and background of the not as to construction.  ling of line and color; skillful use of paint; backdrops; dioramic structures and/ound; blending of features of foreground with background and horizon.
Terrain. Construction; mo realistic natural and mannatural and mannatural and mannatural and mannatural and service. Prototypical sudisplay – as scenic effects, Background. Artistic hand terrain in creating background. Lighting. Adequate and realism. General overall a total scenic effect as a natural prototype railroad and the NOTE: The following is to entry. If your module confidence is a service of the ser	Judging Guidelines  deling; coloring; scale and proportion; selection and use of materials to create made features of terrain.  ditability; placement; appearance in relation to the terrain and background of the not as to construction.  ling of line and color; skillful use of paint; backdrops; dioramic structures and/ound; blending of features of foreground with background and horizon.  ealistic lighting effects for signals, buildings, streets, and roads.  appearance, atmosphere, and feeling of "rightness," or "convincingness" of the ural-looking, believeable, miniature representation of what might be a section of



# PCR ARTS & CRAFT CONTEST ENTRY FORM

Na	me		······································				
Ad	dress_						
Cit	y			State_	ZIP		
Em	ail ad	dress (opti	onal)				
Ca	tegorie	es					
	GEN	ERAL	RAILROADIANA		NEEDLEWORK		
	1.a K	it Built	2.a Kit Built		3.a Kit Built		
	1.b P	attern	2.b Pattern		3.b Pattern		
	1.c O	riginal	2.c Original		3.c Original		
•	Kit Bu	ilt: (comme	ercially available kit;	includ	es plans/instruct	ions and mater	rials)
•	Patter	n: (existing	plans/instructions;	entran	t acquires mater	rials separately	)
•	Origin	al: (entrant	's own design)		•		
l ist	all entri	es below				PCR will fill	in Entry #
	tegory	CO DOIOW	Title or o	descriptio	n of entry	1 OIX WIII IIII	Entry #
Ple	ase co	mplete one	copy of the Judge's	Score S	heet (without the	scores) for each	entry.
CE	RTIFIC	ATION: I affi	rm that all works subm	itted we	re created by me a	and have not beer	n awarded
Firs	t Place	in any NMR	A National or PCR Re	gional c	ontests. I further st	ipulate that I am e	eligible to
•	•		est according to current			, ,	n to publish
any	award	-winning ent	ries in official publication	ons of th	e NMRA and PCR		
Sig	ned						
Da	te						
PRC retri	OXY STA	TEMENT I her above listed en	eby authorize (name)tries in the PCR Arts & Craf	fts Contes	st at (place)	as my proxy on (d	to enter and late)





# PCR ARTS & CRAFTS CONTEST JUDGES' SCORE SHEET

ry Description	Category
Describe your entry in detail. Add other information y	ou feel necessary
ORRECT EXECUTION (Maximum 50 points)  Describe in detail how your entry was made. Note ar	Points Awarded ny special materials required or used:
IFFICULTY (Maximum 30 points)  Describe the complexity of the entry. Note any speci- If Pattern or Kit, were any changes made? Was the panother? If a combination of Kit/Pattern/Original, % k	project adapted from one medium to
NISHING (Maximum 25 points)  Describe how the item was prepared for display/use	Points Awarded (type of materials, matting, etc
ATNESS (Maximum 25 points)	Points Awarded
	Final Score

**JUDGES' COMMENTS**